

1200x2400<sub>mm</sub>

MIGHTY SIZE



JULY 2022





ILLUMINATING SPACES WITH THE GRAND SIZE  
OF TILES AND ITS UNIQUE DESIGNS

WE CREATE

# Colossal

PRODUCT RANGE



**1200**  
**X**  
**2400**  
**mm**

MIGHTY SIZE

A floor made of large tiles makes any room up-to-date. The minimum width grout joints are used beautifully that makes your surface consistent with the rectified edges & sure gives utter elegance.



1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to loads




Resistant to stains




Wide range




GALAXY STATUARIO (BOOK MATCH) BOOK MATCH A+B




GRONZA WHITE BOOK MATCH A+B



ALTIMO WHITE (BOOK MATCH) BOOK MATCH A+B



COVELANO LASA (BOOK MATCH) BOOK MATCH A+B





1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness




Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

\*



BROCKEN BRECIA (BOOK MATCH) BOOK MATCH A+B

\*



BRECCIA MONET BOOK MATCH A+B

\*



CHIFFON BEIGE BOOK MATCH A+B

\*



BETHANY BLUE BOOK MATCH A+B





1200x  
2400mm

HIGH GLOSSY FINISH  9mm thickness


\*



ALONZO BLUE 8 FACE BOOK MATCH




\*



ELITE BLACK BOOK MATCH A+B



\*Book Match Series



FLOOR & WALL : ALONZO BLUE



1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness

\*



PATAGONIA BOOK MATCH

BOOK MATCH A+B

\*



EXXARO GREY

BOOK MATCH A+B



\*Book Match Series



FLOOR & WALL : PATAGONIA BOOK MATCH



1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range

\*



STATUARIO BELGIA (CONTINUE) 3 FACE CONTINUE




\*



STATUARIO AFYON 3 FACE CONTINUE




\* 



PACIFIC WHITE 4 FACE CONTINUE



\*



EMBER WHITE 3 FACE CONTINUE





1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range

\*



HOIST WHITE

3 FACE CONTINUE




\*



GLORIOUS WHITE (CONTINUE)

3 FACE CONTINUE




\*




ATLANTIC WHITE (CONTINUE)

2 FACE CONTINUE



\*



IMPACT STATUARIO (CONTINUE)

3 FACE CONTINUE





1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range




BETEL WHITE 2 RANDOM



STATUARIO GOLD 3 RANDOM



ATLANTIC WHITE 2 RANDOM



SUMMER WHITE 4 RANDOM



Ready To Load





WALL : ATLANTIC WHITE | FLOOR : ATLANTIC WHITE



1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



SUMMER WHITE

BOOK MATCH A+B



\*Book Match Series



FLOOR & WALL : SUMMER WHITE



1200x  
2400mm

HIGH GLOSSY FINISH


DECOR SERIES

9mm thickness


\*



M 1001 1 RANDOM



\*Dark High Glossy Series



WALL : M 1001



1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range




ALEX CALACATTA 3 RANDOM



ONYX LUXURY 3 RANDOM



ZED ONYX ICE 4 RANDOM



ZED ONYX CLASSIC 4 RANDOM





1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range



REGAL NATURAL 3 RANDOM

REGAL BEIGE 3 RANDOM

ELIZA BEIGE 3 RANDOM

VICTORIA BEIGE 4 RANDOM





1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



TRAVENTINO CREMA 2 RANDOM

DYNA SUPREME 2 RANDOM



FLOOR : DYNA SUPREME



1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



LAVANET BEIGE 3 RANDOM



BERLIM BEIGE 2 RANDOM



DEVCI CREMA 2 RANDOM



DEVCI GREY 2 RANDOM





1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



BRECCIA BEIGE 3 RANDOM

BRECCIA LAVA 2 RANDOM



FLOOR : BRECCIA BEIGE



1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range


\*



\*



\*



\*



BRECCIA CAPRAIA 4 RANDOM

ARENA DUNE 2 RANDOM

PORTORO GOLD 2 RANDOM

PORTORO 2 RANDOM



\*Dark High Glossy Series

\*Dark High Glossy Series



1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range



SONATA WHITE 3 RANDOM

SONATA BRONZE 3 RANDOM

TITANIUM BROWN 3 RANDOM

TITANIUM NATURAL 3 RANDOM





1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



BIANCO LASA 2 RANDOM



LEVANTO BROWN 4 RANDOM



LEVANTO LIGHT 4 RANDOM



LEVANTO NATURAL 4 RANDOM





1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range





ARMANI BEIGE 2 RANDOM




ARMANI GOLD 2 RANDOM



ARMANI GREY 2 RANDOM



ARMANI GRIS 2 RANDOM







WALL : ARMANI BEIGE & ARMANI GOLD | FLOOR : ARMANI BEIGE



1200x  
2400mm


HIGH GLOSSY FINISH 9mm thickness

- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range

\*



\*



\*



\*




FOREST BROWN 2 RANDOM

TOPAZ BROWN 1 RANDOM

PATAGONIA 3 RANDOM

EXOTIC WHITE 2 RANDOM



\*Dark High Glossy Series

\*Dark High Glossy Series Ready To Load



1200x  
2400mm

HIGH GLOSSY FINISH 9mm thickness

- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range



TURKE LANA 1 RANDOM



CRISTAN STONE 2 RANDOM



ICE BERG BLUE 3 RANDOM



ARISTONE CEROCHE 2 FACE CONTINUE





1200x  
2400mm

HIGH GLOSSY FINISH

9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range

\*



TRAVENTINO BEIGE 1 RANDOM

SEMOND PAUL 2 RANDOM



\*Dark High Glossy Series

\*





\*



TRIESTA NOIR 3 RANDOM

RAINBOW BROWN 2 RANDOM



\*Dark High Glossy Series



1200x  
2400mm


HIGH GLOSSY FINISH 9mm thickness





Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range





BLACK RIVER 4 RANDOM



AZUL CIELO 3 RANDOM



NERO MARQUINA 3 RANDOM



SAHARA BLACK 2 RANDOM






1200x  
2400mm


HIGH GLOSSY FINISH 9mm thickness

\*



NARDO GREY 2 RANDOM

PAETHORN 3 RANDOM



FLOOR & WALL : NARDO GREY

\*Dark High Glossy Series



1200x  
2400mm

RUSTIC MATT FINISH

9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range



SUMMER WHITE 4 RANDOM

REGAL NATURAL 3 RANDOM

ORION CREMA 4 RANDOM

ORION WHITE 4 RANDOM







1200x  
2400mm

RUSTIC MATT FINISH

9mm thickness




Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range




RIZ CEDAR 2 RANDOM

RIZ SILVER 2 RANDOM



CAPRON CREMA 3 RANDOM

CAPRON GREY 3 RANDOM





1200x  
2400mm

RUSTIC MATT FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range




MEXXO SIENNA 4 RANDOM



MEXXO LIGHT 4 RANDOM



TUNA ROCK ICE 2 RANDOM



TUNA ROCK GREY 2 RANDOM






1200x  
2400mm

RUSTIC MATT FINISH

9mm thickness

- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range




SENTILIA BROWN 1 RANDOM



DUST 4 RANDOM



MILANO SILVER 3 RANDOM



MILANO GREY 3 RANDOM



Ready To Load



1200x  
2400mm

RUSTIC MATT FINISH

9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range



CORTEX CEDAR 2 RANDOM

CORTEX AZURE 2 RANDOM



SANDUNE CAFE 1 RANDOM



ROOST WOOD 1 RANDOM





1200x  
2400mm

RUSTIC MATT FINISH

DECOR SERIES

9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range



MULBERRY WOOD DECOR 1 RANDOM



LENOX WOOD 2 RANDOM



MEPAL WOOD BROWN 5 RANDOM



MEPAL WOOD 5 RANDOM





1200x  
2400mm

CARVING FINISH → 9mm thickness



Versatile solutions  
Easier to lay  
Resistant to chemical  
Resistant to loads  
Resistant to stains  
Wide range



BURBERRY BEIGE 2 RANDOM

BURBERRY BROWN 2 RANDOM

BURBERRY GREY 2 RANDOM






1200x  
2400mm

CARVING FINISH → 9mm thickness



STUCCO BEIGE 2 RANDOM

CORTEN BEIGE 2 RANDOM



FLOOR : STUCCO BEIGE



1200x  
2400mm



CARVING FINISH

→ 9mm thickness



RUBY QUARTZ SEAL 4 RANDOM

RUBY QUARTZ ASH 4 RANDOM



Versatile solutions Easier to lay Resistant to chemical Resistant to loads Resistant to stains Wide range



LURENT BROWN 5 RANDOM

LURENT BLUE 5 RANDOM





1200x  
2400mm

RICH SILK FINISH → 9mm thickness



BRECCIA MARINO LATTE 2 RANDOM

BRECCIA MARINO NATURAL 2 RANDOM

BRECCIA MARINO ASH 2 RANDOM



-  Versatile solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range



## TECHNICAL SPECIFICATION OF ACCORD SLAB VITRIFIED TILE

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm <sup>2</sup> )	IS-13630-6	Min. 35N/mm <sup>2</sup>	Min. 37N/mm <sup>2</sup>
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 <sup>-6</sup> Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.

## PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x2400mm	9mm	1 pcs.	2.88 sq. mtr.	60 kg